

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12	20	((resolution near5 qualit\$5) same (resolution near5 mode) same (LUT or table or lookup or look-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:15
S13	2	(resolution with (LUT or table or lookup or look-up)) same (two-way near5 (LUT or table or lookup or look-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:16
S14	18	(resolution with (LUT or table or lookup or look-up)) same (((("2" or two) near3 input\$5) or two-way) near5 (LUT or table or lookup or look-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:18
S15	87	(resolution near4 (value or data) near3 (stor\$5) near3 (LUT or table or lookup or look-up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:21
S16	14	(resolution near4 (value or data) near3 (stor\$5) near3 (LUT or table or lookup or look-up)) and (resolution near5 qualit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:28
S17	13	(resolution near4 (value or data) near3 (stor\$5) near3 (LUT or table or lookup or look-up)) and (resolution near5 qualit\$5) and (resolution near5 (mode or method) ner5 (send\$5 or transmi\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:39
S18	7	(resolution near4 (value or data) near3 (stor\$5) near3 (LUT or table or lookup or look-up or memory or storage)) same (resolution near5 qualit\$5) same (resolution near5 (mode or method) ner5 (send\$5 or transmi\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:40
S19	0	(resolution near4 (value or data) near3 (stor\$5) near3 (LUT or table or lookup or look-up or memory or storage)) same (resolution near5 qualit\$5) same (resolution near5 (mode or method) near5 (send\$5 or transmi\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:41
S20	2	(resolution near4 (value or data) near3 (stor\$5) near3 (LUT or table or lookup or look-up or memory or storage)) and ((resolution near5 qualit\$5) same (resolution near5 (mode or method) near5 (send\$5 or transmi\$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:43

S22	0	"6437881".pn. and (LUT or lookup or look-up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:48
S21	2	"6437881".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:48
S26	0	"6437881".pn. and (resolution near3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:49
S25	1	"6437881".pn. and (resolution same (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:49
S24	0	"6437881".pn. and (resolution with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:49
S23	0	"6437881".pn. and (resolution near5 (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:49
S28	2	"6437881".pn. and (select\$5 near3 resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:50
S27	2	"6437881".pn. and (resolution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:50